



DDOE

DISTRICT DEPARTMENT
OF THE ENVIRONMENT

Stormwater Guidebook



Table of Contents

Storm Water Guidebook

	Page
List of Tables	i.
List of Figures	iii
Acknowledgments	vi
Chapter 1. Introduction to the Guidebook	
1.0 Introduction	1.1
1.1 Purpose and Scope of the Guidebook	1.1
1.2 Impacts of Urban Runoff	1.1
1.2.1 Hydrologic Impacts	1.2
1.2.2 Water Quality Impacts	1.2
Chapter 2. District of Columbia Minimum Control Requirements for Storm Water Management	
2.0 District of Columbia Minimum Control Requirements for Storm Water Management	2.1
2.1 Water Quality Requirements (V_w)	2.2
2.2 Quantity Control Requirements (Q_{p_2} and $Q_{p_{15}}$)	2.3
2.3 Extreme Flood Requirements (Q_f)	2.3
2.4 Additional Storm Water Management Requirements	2.4
2.5 Hydrology Methods	2.5
2.6 Pollutant Load Calculations	2.5
2.7 Acceptable Urban BMP Options	2.6
Chapter 3. Performance Criteria for BMP Groups	
3.0 Performance Criteria for BMP Groups	3.1
3.1 Storm Water Filtering Systems	3.3
3.1.1 Filtering Feasibility Criteria	3.17
3.1.2 Filtering Conveyance Criteria	3.17
3.1.3 Filtering Pretreatment Criteria	3.18

Table of Contents

	Page
3.1.4 Filtering Treatment Criteria	3.18
3.1.5 Filtering Landscaping Criteria	3.35
3.1.6 Filtering Maintenance Criteria	3.36
3.2 Storm Water Infiltration	3.39
3.2.1 Infiltration Feasibility Criteria	3.42
3.2.2 Infiltration Conveyance Criteria	3.43
3.2.3 Infiltration Pretreatment Criteria	3.43
3.2.4 Infiltration Treatment Criteria	3.44
3.2.5 Infiltration Landscaping Criteria	3.45
3.2.6 Infiltration Maintenance Criteria	3.45
3.3 Storage Practices	3.45
3.3.1 Storage Feasibility Criteria	3.48
3.3.2 Storage Conveyance Criteria	3.48
3.3.3 Storage Treatment Criteria	3.49
3.3.4 Storage Maintenance Criteria	3.49
3.4 Storm Water Ponds	3.53
3.4.1 Pond Feasibility Criteria	3.58
3.4.2 Pond Conveyance Criteria	3.58
3.4.3 Pond Pretreatment Criteria	3.59
3.4.4 Pond Treatment Criteria	3.59
3.4.5 Pond Landscaping Criteria	3.60
3.4.6 Pond Maintenance Criteria	3.61
3.5 Storm Water Wetlands	3.65
3.5.1 Wetland Feasibility Criteria	3.69
3.5.2 Wetland Conveyance Criteria	3.69
3.5.3 Wetland Pretreatment Criteria	3.69
3.5.4 Wetland Treatment Criteria	3.69
3.5.5 Wetland Landscaping Criteria	3.70
3.5.6 Wetland Maintenance Criteria	3.71
3.6 Open Channel Systems	3.73

Table of Contents

	Page
3.6.1 Open Channel Feasibility Criteria	3.76
3.6.2 Open Channel Conveyance Criteria	3.76
3.6.3 Open Channel Pretreatment Criteria	3.76
3.6.4 Open Channel Treatment Criteria	3.76
3.6.5 Open Channel Landscaping Criteria	3.77
3.6.6 Open Channel Maintenance Criteria	3.77
 Chapter 4. Selecting and Locating the Most Effective BMP System	
4.0 Selecting the Best BMP at a Site	4.1
4.1 Storm Water Treatment Suitability	4.3
4.2 Physical Feasibility Factors	4.5
4.3 Community and Environmental Factors	4.7
4.4 Checklist: Locational/Permitting Considerations	4.9
 Chapter 5. Storm Water Implementation	
5.0 Storm Water Management Plan	5.1
5.0.1 Submittal, Review and Approval of Storm Water Management Plans	5.1
5.1 Permits	5.4
5.1.1 Permit Requirements	5.4
5.1.2 Permit Fee	5.4
5.1.3 Permit Suspension and Revocation	5.4
5.2 Inspection Requirements	5.5
5.2.1 Inspection Schedule and Reports	5.5
5.2.2 Inspection Requirements During Construction	5.5
5.2.3 Final Inspection Reports	5.7
5.2.4 Inspection for Preventive Maintenance	5.7
5.3 Maintenance	5.7
5.3.1 Maintenance Responsibility	5.7
5.3.2 Maintenance Agreement	5.8
5.4 Penalties	5.8

Table of Contents

	Page
5.5 Appeals	5.9
5.6 Exemptions	5.9
5.7 Waivers and Variances	5.10
References	R.1
Appendix A. Acceptable Hydrologic Methods and Models	A.1
Appendix B. Design of Storm Water Conveyance Systems	B.1
Appendix C. Design of Flow Control Structures	C.1
Appendix D. Pollutant Load Calculations	D.1
Appendix E. Geotechnical Information Requirements for Underground BMPs	E.1
Appendix F. Additional Design and Construction Requirements for Sand Filter Systems	F.1
Appendix G. Additional Storm Water Implementation Information	G.1
Appendix H. Rooftop Storage Guidance and Criteria	H.1
Appendix I. Sand Filter Design Example	I.1

List of Tables

District of Columbia Storm Water Management Guidebook

No.	Title	Page
1.1	Common Pollutants Found in Urban Storm Water Runoff and Their Sources	1.4
1.2	Estimated Total Annual Pollutant Loading to Waterways in the District of Columbia	1.5
2.1	Summary of the District of Columbia Storm Water Criteria	2.1
2.2	Runoff Depth to Be Treated Based on Post-Development Land Use	2.2
4.1	BMP Selection Matrix No. 1 - Storm Water Management Suitability	4.4
4.2	BMP Selection Matrix No. 2 - Physical Feasibility	4.6
4.3	BMP Selection Matrix No. 3 - Community and Environmental Factors	4.8
4.4	Location and Permitting Considerations	4.10
A.1	Runoff Coefficient (C) Factors for Typical District of Columbia Land Uses	A.2
A.2	Depth - Duration - Intensity - Frequency Rainfall Values for the District of Columbia	A.5
A.3	Soil Group Adjustment	A.6
B.1	Manning's Roughness Coefficient (n) Values for Various Channel Materials	B.1
B.2	Minimum Structure Loss to Use in HGL Calculations	B.2
C.1	Manning's Roughness Coefficient (n) Values for Various Channel Materials	C.1
C.2	Minimum Structure Loss to Use in HGL Calculation	C.3
D.1	Concentration Values (C) for Selected Levels of Impervious Cover for Use in Estimating Pollutant Loads from New or Redevelopment Sites in the District of Columbia	D.2
D.2	Concentration Values (C) of Sediment for Selected Levels of Impervious Cover for Use in Estimating Pollutant Loads from New or Redevelopment Sites in the District of Columbia	D.3
D.3	Post-Construction BMP Effectiveness Summary	D.4
E.1	Infiltration Testing Summary Table	E.2
F.1	Specifications for the Woven Monofilament Geotextile 104F	F.3
F.2	Selection of Perforated Riser Pipes	F.5
F.3	Clay Liner Specifications	F.7
F.4	Drainage Matting Specifications	F.12

List of Figures

District of Columbia Storm Water Management Guidebook

No.	Title	Page
1.1	Changes in the Water Balance Resulting From Urbanization	1.3
1.2	Changes in Streamflow Resulting From Urbanization	1.3
3.1	Example of Surface Sand Filter	3.4
3.2	Example of One-Chamber Underground Sand Filter	3.5
3.3	Example of Three-Chamber Underground Sand Filter for Separate Sewer Areas	3.6
3.4	Example of Three-Chamber Underground Sand Filter for Combined Sewer Areas	3.9
3.5	Example of Perimeter Sand Filter	3.12
3.6	Example of Vertical Sand Filter	3.13
3.7	Example of Organic Filter	3.14
3.8	Example of Bioretention	3.15
3.9	Example of Roof Downspout System	3.16
3.10	Design Guide for the Standard Sand Filter	3.20
3.11	Determination of Filter Area	3.22
3.12	Typical Inflow and Outflow Hydrographs	3.27
3.13	Conceptual Full Sedimentation Filtration System	3.32
3.14	Conceptual Partial Sedimentation Filtration System	3.32
3.15	Example of Infiltration Trench	3.40
3.16	Example of Infiltration Basin	3.41
3.17	Example of Underground Vault	3.44
3.18	Example of Dry Pond	3.46
3.19	Example of Micropool Extended Detention Pond	3.54
3.20	Example of Wet Pond	3.55
3.21	Example of Wet Extended Detention Pond	3.56
3.22	Example of Pocket Pond	3.57
3.23	Example of Shallow Wetland	3.66

List of Figures

No.	Title	Page
3.24	Example of Extended Detention Shallow Wetland	3.67
3.25	Example of Pocket Wetland	3.68
3.26	Example of Dry Swale	3.74
3.27	Example of Wet Swale	3.75
A.1	District of Columbia Rainfall Intensity - Duration - Frequency Curve	A.4
B.1	Typical Nomograph for Culverts Under Outlet Control	B.8
C.1	Absolute Downstream Control of Flow Under Gate	C.2
F.1	Typical Cross-Section of the Filter Chamber	F.2
F.2	Conceptual Partial Sedimentation Filtration System	F.5
F.3	Conceptual Partial Sedimentation with Filtration System	F.6
F.4	Sedimentation Basin Configurations	F.8
F.5	Sedimentation Basin Baffles	F.8
F.6	Example Riser Pipe and Sediment Trap Details	F.10
F.7	Conceptual Full Sedimentation Filtration System	F.11
F.8	Sand Bed Filtration Configurations	F.13
F.9	Sand Bed Filtration Configurations with Top Gravel Layer	F.14
F.10	Peat - Sand Filter Bed Configuration	F.15
H.1	Rooftop Storm Water Detention	H.5
H.2	Typical Rainfall Ponding Ring Section	H.6

Acknowledgments

A major undertaking such as this requires the dedication and cooperative efforts of many individuals. Dr. Hamid Karimi, Project Manager of the Watershed Protection Division deserves credit for his overall support for this project. Special gratitude to Dr. Hung Van Truong of the D.C. Water and Sewer Authority for his compilation of the initial draft manuscript which was utilized for this revised edition, and for his contributions to the development of sand filters for the treatment of storm water runoff in the ultra-urban environment. Timothy J. Karikari, Chief of the Sediment and Storm Water Technical Services Branch, Watershed Protection Division is owed a debt of gratitude for his role as project manager and coordinating editor for this guidebook.

Sincere gratitude is extended to the following Watershed Protection Division staff members who have reviewed and made valuable suggestions on portions of the manuscript: Collin R. Burrell, Massoud Massoumi, Walter K. Caldwell, Charles I. A. Edwards, Abdi M. Musse, and Larry Green. Special appreciation also goes to Sheila A. Besse for providing administrative support in the preparation of this guidebook.

Finally, we thank the staff of the Center for Watershed Protection for putting together the final draft document; and the EPA's Chesapeake Bay Program for providing the financial resources that made the development and publication of this document possible.

